


LEGEND	
Stage Boundary	
Driveway Location	
Maximum Building Location Envelope (BLE)	
Built to Boundary line (maximum 15.0m in length)	
Possible Open Space Location	



# CAPESTONE

For  
**URBEX**

**IMPORTANT NOTES:**  
(These notes are an integral part of this plan)  
This plan has been prepared for URBEX for the purposes of a Building Location Envelope Plan. This plan is intended for discussion purposes only and should not be used for any other purposes. No investigations have been undertaken by THG WSG Pty Ltd over this area of land other than to sight the registered plan and topographical map. The Contours, boundaries, creek line, flood lines, building locations have all been scaled and should not have any reliance based on them as they are only intended as a general guide. Any comments contained on this plan should be confirmed by the relevant authorities. The dimensions, areas and total number of lots shown hereon are subject to field survey and also to the requirements of Council and any other authority which may have requirements under any relevant legislation. In particular, no reliance should be placed on the information on this plan for any financial dealings involving the land.

It is not to be used by any other person or corporation or for any other purposes and is subject to the following limitations:

The title boundaries as shown hereon have been determined from minimum connections to survey marks placed by others and then from measurements by others, the verification of which does not form part of this survey.

No report is made on any underground services on or adjacent to the site.

Copyright © THG WSG Pty Ltd t/a THG Resource Strategists 10.07.2013

THESE DESIGNS AND DRAWINGS ARE COPYRIGHT AND ARE NOT TO BE USED OR REPRODUCED WITHOUT THE WRITTEN PERMISSION OF THG

Data Sources  
Cadastral Boundaries 30105-BLE04-C  
Contours / Topographic 30105-BLE04-C

### Notes Applicable to Small Lots

1. Small Lot Housing is to be undertaken in accordance with this Small Lot Plan and the Detached Houses on Small Residential Lots Code of the PineRiversPlan or the relevant code contained in the Development Permit that created these lots. Where a conflict exists between the approved small lot plan and the relevant code the small lot plan prevails.

2. Built to the Boundary walls are optional where the road frontage widths are 12.5m or greater. Where road frontages are less than 12.5m, Built to the Boundary walls are provided in the following manner:

	Single Garage (3.5m or less)	Double Garage (greater than 3.5m)
Single Storey	Optional	Mandatory
Two Storey	Optional	Optional

3. Built to the Boundary walls shall be built with a maximum length of 15m and a maximum height of 3.5m.

4. The private open space is:  
- at least 80m² in size;  
- all dimensions are greater than 2.5m;  
- able to fully contain a circle with a diameter of 5.0m.

5. The maximum height of buildings shall not exceed 2 storeys.

6. The building has a living room, dining room, bedroom window or balcony that faces the street.

7. Minimum Road frontage boundary setbacks shall be as per the following setbacks table, unless otherwise dimensioned:

	Walls	Eaves
Living & Habitable areas	3.0 m	2.4 m
Garages and Carports	5.4 m	4.8 m
Secondary Road Frontage	3.0 m	2.4 m

Front porcos may be located closer to the front property boundary than stated, provided that the portico is located not less than 3.0m from the front property boundary, the height of the portico does not exceed 4.5m, the portico remains open and not enclosed and the width of the portico is limited to the front entry area only.

8. Minimum Side boundary setbacks (other than Built to the Boundary walls) shall be as per the following setback table, unless otherwise dimensioned or noted in an approved setbacks table:

Typical Av. Lot Width (m)	First Storey Side Setback (m) to wall	First Storey Side Setback (m) to eave	Second Storey Side Setback (m) to wall	Second Storey Side Setback (m) to eave
10 to 12.49	1.0	0.45	1.0	0.45
12.5 to 14.99	1.0	0.9	1.5	0.9
15 and above	1.5	0.9	2.0	1.4

9. Minimum Rear boundary setbacks shall be as per the following setback table:

	Walls	Eaves
Ground Floor	3.0 m	2.4 m
First Floor	3.0 m	2.4 m

Rear patios may be located closer to the rear property boundary than stated, provided that the patio is located not less than 1.5m from the rear property boundary and the patio remains open and not enclosed.

D	Truncate Lot 407	06/06/14	KS
C	Amend Lots and Truncations	07/04/14	KS
B	AMENDMENTS	15/10/13	JS
A	ORIGINAL	13/02/13	KS
No	Revisions	Date	Chkd

Parish: REDCLIFFE  
County: STANLEY  
Locality: MANGO HILL  
Local Authority: MBRC  
Map Reference : 9543-43323  
Horizontal Meridian: MGA  
Vertical Level Datum: AHD  
Level Origin: PM38847  
Scale: 1:1500 @ A3  
Surveyed: HSG  
Designed: KS/DS/AN  
Drawn: JS  
Checked: KS/AN  
Plot Date: 11 Jun, 2014  
Computer File Ref: 30105-BLE04-D.dwg

## Capestone - Stage 4 Building Location Envelope Plan



BRISBANE (07) 3666 4700 MACKAY (07) 4951 2911 PROSERPINE (07) 4945 1722  
Email mail@thg.com.au www.thg.com.au  
ABN 55156210052 THG WSG Pty Ltd t/a THG Resource Strategists

Drawing No 30105-BLE04 Issue D